

Senekji *et al.* (1939)
 :
 Niazi *et al.*(1975) Arif&Hassoum(1969) Bailey(1955)
 Al-Dulaimi(1996) (1992) Kadir *et al.*(1987)
 (2000) (1999) (1998)
 2003/4/9

243

2003

115

128

2004

Ichhpujani & Bhatia,(1994)

.Zeibig(1997)

χ^2 (χ^2 -1est)

.Campbell(1967)

:

.%27.9

Entamoeba histolytica

(1997)

(%14.7)

(1992)

%(11)

(1999)

(%11.4)

.(%12)

(2000)

(1994) (%33.8)

Al-Hanoon & Hayatee (1980)

.(%29.7)

Mahmud

.(Zeibig, 1997)

.2003/4/9

.%13.9

Giardia lamblia

(1994)

(%8.6)

(1992)

(%10.3)

(1999)

(%11.6)

(2000)

(%13.7)

(1999)

(%27)

Al- Saadi *et al.*(1994)

.(%10)

.(%25.8)

(1998)

(%29.1)

Mahmud(1994)

(Zeibig, 1997)

.(Prince,1998)

.%5.3 *Hymenolepis nana*

Jaafer(1998) (%3.6) (1992)

(%4.3) (1999) (%5)

.(%5.9) (2000)

Jaafer (1998) (%28.3) Molan & Farag (1989)

.(%11)

Tribolium

(3)

.%2.4 *Enterobius vermicularis*

(1992) (%0.6) Mahdi&Jassim(1987)

.(%2) (1999) (%1.5) (1994) (%0.7)

(1997) (%6.6) Jassam *et al.*(1986)

(%11.9) (1999) (%26)

%31.2 Kadir *et al.*(1999)

Kadir *et al.*(1999)

(° 25-20)

.(Prince, 1989; Schmidt&Roberts,1989) (° 25)

.%2.8 *Ascaris lumbricoides*

(1999) (%2.6) (1998)

(1992) .(%3.4)

(%0.4) Jaffer(1998) (%0.2)

.(%0.07)

.(Zeibig, 1997)

1

(%23.2) Jassan *et al.*(1986) .%51

Molan & Farag(1989) (%7.7-%3.2) Mahdi&Jassim(1987)

(%31.5) (1992) (%46.3)
 Mahmud(1994) .(37.8) (1999)
 (1999) (%69.8) (1998) (%62)
 .(%61.7) (2000) (%63.7)

2003/4/9

(%53.9)
 Molan & Farag (1989) (%47.8)
 .(2000) (1999) Mahdi & Shehab (1994)

(2)

(%43.8 %80.8)
 .(0.01) (χ^2)
 .(2000) (1999) (1998) (1997)

(3)

.(...)

(χ^2) (%30.8 %76.6)
 (1999) .(0.01)
 .(2000)

: (1)

243	115	128	
124	55	69	
51.0	47.8	53.9	(%)
			1.39 = χ^2
			3.84 = (0.05) χ^2
			6.63 = (0.01)

: (2)

(%)			
43.8	86	196	
80.8	38	47	
			20.62 = χ^2
			6.63 =(0.01) χ^2

(3)

(%)			
76.6	82	107	
30.8	42	136	
			50.22 = χ^2
			6.63 =(0.01) χ^2

(1994).

:

() .

.223-217

(1999).

119 :

(1992).

80:

(2000).

122 :

(1998).

87 :

(1992).

: 237-223.

(1997).

56 : ()

(1998).

16-1: (2)

(1999).

23-17 : 50 /

Al-Dulaimi, S.S.(1996). Parasitic etiology of diarrhea in Al-Anbar province. Al-Mustasiriyah J. Sci., 7(2) : 64-68.

Al-Hanoon, Z. & Hayatee , Z. G(1980). The prevalence of intestinal protozoal infection in school children of Mosul. Ann Coll. Med. Mosul., 11(1) : 225-230.

Al-saadi, A. A.; Houssien, Y. K. & Habibe, K. A.(1994). prevalence of intestinal protozoal parasites among primary school children in Al-Kufa City. Tech. Res. J., 7(22) : 65-74.

Arif, A. E. & hassoun , A. S.(1969)> An intestinal parasite survey amongst food handlers in Baghdad-1966. End. Dis., 11(1-4) : 7-27.

Bailey, V. M.(1955). Notes of the incidences of human parasites in Samawa, Iraq. Bull. End. Dis., 1(3) : 250-252.

Bosman, A.; de Giorgi, F.; Kandia Diallo, I.; Pizzi, L.; Bartoloni; P. & Cancrini, G(1991). Prevalence and intensity of infection with intestinal parasites in areas of the Futa Djalou, Republic of Guinea. parasitologia, 33 : 203-208.

Campbell, R. C.(1967). Statistics for biologists. Cambridge Univ. press : 242pp.

Cho, S.- Y.; Kim, J.- H. & Park, S. H.(1990). Status of intestinal parasite infections in inhabitants of Palmor, Guayas province, Ecuador. Kor. J. parasitol., 28(2) : 109-113.

Gamboa, M. I.; Basualdo, J. A.; Kozubsky, L.; Costanse, E.; Cueto Rua, E. & Lahitte, H. B.(1998). Prevalence of intestinal parasitosis within there population groups in La Plata, Argentina. Eur. J. Epidemiol., 14(1) : 55-61.(Medline Abst.).

Ichhpujani, R. L & Bhatia, R.(1990). Medical parasitology. Jaypee Bros. Med. Publ., New Delhi : 384pp.

Jafer , E. H.(1998). Incidence of intestinal parasites among primary-school children and between two regions in Al-Doorah area. Al-Mustansiriya J. Sci., 9(3) : 5-9.

Jassan , B. a.; Al-Dujaily , A. A. & saleh, M. M.(1986). Prevalence of intestinal parasites in school children of Kirkuk city , Iraq. J. Biol. Sci. Res., 17(2) 125.

Kadir, M. A.; Al-Hussainy, a. A. & Ganem , A. H.(1999). *Enterobius vermicularis* : Its impact on children aging 1-6 years in Kirkuk city / Iraq. Iraqi J. Comm. Med., 12(2) : 139-142.

Kadir , M. A.; Kader , A. A. & Faraj, K. K.(1987). Survey study of the intestinal parasites among different population of Arbil city. J. Fac. Med. Baghdad, 29(4) 455-458.

- Karrar, Z. A. & Rahim, F. A.(1995). Prevalence and risk factors of parasitic infections among under-five Sudanese children : Acommunity based study. East Afr. Med. J., 72(2) : 103-109.(Medline Abst.).
- Mahdi, N. K. & Jassim, A. H.(1987). Intestinal parasitic infections of primary school children in there regions of southern Itaq. Med. J. Basrah Univ., 6(1) : 55-61.
- Mahdi , N. K. & Shehab , K. a.(1994) The effect of giardiasis upon the nutritional status of primary school children in Basrah, Iraq. Med. J. Basrah Univ., 12(1&2) : 99-111.
- Mahmud , S. A.(19994). Prevalence of intestinal parasites among primary school children in Al-Shu'la city , Baghdad , Tech. Res. J. 7(24) : 114-122.
- Makhlouf , S. A.; Sarwat, M. A.; Mahmoud , D. M. & Mohamad , A. A.(1994). Parasitic infection among children living in two orphanages in Cairo. J. Soc. Parasitol., 24(1) : 137-145.
- Molan , A. L. & Farag, A, M.(1989). Prevalence of intestinal parasites in school children in Arbil, Northern Iraq. Saudi Med. J., 10(2) : 107-110.
- Niazi , A. D.; Al-Issa , T. B.; Al-Dorki , K. A.; Al-Hussaini , M.; Al-Khalissi , A, A. & Khamis , F.(1975). pilot study on prevalence of ankylostomiasis in Iraq. Bull. Dis., End. Dis., 16 : 105-114.
- Perez Armngol , C.; Ariza Astolfi , C.; Ubeda Ontiveros , J. M.; Guevara Benitez , D. C.; Rojas Alvarez , M. & Lozano , Serrano, C.(1997). Epidemiological del parasitismo intesrinal infantile en el Valle del Guadalquivir , Espana. Rev. Esp. Salud. Publ.,71(6) : 547-552.
- Prince , a.(1998). Infectious diseases. In Behram , R. E. & K;iegman, R. M.(Eds.). Nelson essentials of pediatrics , 3rd edn., W. B. Saundes Co., Philadelphia : 315-418.
- Schmidit , G. D. & Roberts , L. S.(1989). Foundations of parasitology. 4th edn., Times Mirror / Mosby Coll. Publ., Saint Louis : 750pp.
- Senekji , H. A.; boswell , C. & Beattie, C. P.(1939). The incidence of intestinal parasites in Iraq. Trans. roy. Soc. Trop. Med. Hyg., 33(3) : 349-353.
- Singh , S.; Raju , G. Y. & Samantaray , J. C.(1993). Parasitic gut flora In a noryh Indian popugation with gastrointestinal symptoms. Trop. Gastroenterol., 14(3) : 104-108.
- Zeibig , E. A.(1997). Clinical parasitology : Apractical approach. W. B. Saunders Co., Philadelphia : 320pp.